according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017

Date of revision

Versio

4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

M - Wave Lube Guard White

Substance / mixture

mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use of the mixture

grease for bearing

Not recommended use of the mixture

not available

# 1.3. Details of the supplier of the safety data sheet

**Distributor**Name or trade name

Messingschlager GmbH

Address

Hassbergstr. 45, Baunach, 96148

Germany

Phone

+49 9544/944445

E-mail

sa@messingschlager.com WWW.messingschlager.com

Web address Manufacturer

Name or trade name

Address

Phone

Fax

E-mail

Web address



#### Competent person responsible for the safety data shee

Name E-mail

## 1.4. Emergency telephone number

Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Eye Irrit. 2, H319

Full text of all classifications and H-phrases is given in the section 16.

## The most serious adverse physico-chemical effects

Unknown

# The most serious adverse effects on human health and the environment

Causes serious eye irritation.

# 2.2. Label elements

## **Hazard** pictogram



Signal word

Warning

according to Regulation (EC) No 1907/2006 (REACH) as amended

M - Wave Lube Guard White

Date of creation

29. August 2017

Date of revision

Version

4.0

#### **Hazard statements**

H319

Causes serious eye irritation.

## **Precautionary statements**

P264

Wash hands and exposed parts of the body thoroughly after handling.

P280

Wear protective gloves.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### SECTION 3: Composition/information on ingredients

#### **Mixtures**

#### **Chemical characterization**

Lithium grease based on mineral oil with additives.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Content Classification according to Note. Identification numbers Name of the substance in % Regulation (EC) No 1272/2008 weight Skin Irrit. 2, H315 CAS: 68649-42-3 Dialkyl(C1-C14)dithiofosforečnan zinečnatý <2,5 Eye Dam. 1, H318 EC: 272-028-3 Aquatic Chronic 2, H411 Registration number: 01-2119657973-23

Full text of all classifications and H-phrases is given in the section 16.

#### **SECTION 4: First aid measures**

#### Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this Safety Data Sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled.

## **Inhalation**

inapt - pasta

### Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### Ingestion

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

not available

## Skin contact

not available

# Eye contact

not available

## Ingestion

not available

#### Indication of any immediate medical attention and special treatment needed 4.3.

Symptomatic treatment.

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017

Date of revision

agast 2017

4.0

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist

#### Unsuitable extinguishing media

water - full jet

## 5.2. Special hazards arising from the substance or mixture

Fire produces heavy, black smoke, with potential development of carbon monoxide and dioxide and other toxic gases. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

Version

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage class

Content

Type of packaging

Material of package

13 - Other non-combustible solids

100 q

dose/tube

HDPE (2), High-density (linear) polyethylene (Plastics)



HDPE

min 0 °C, max 40 °C

# Storage temperature7.3. Specific end use(s)

see information on the product label.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

none

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017

Version Date of revision

#### **Exposure controls**

Follow usual measures for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### Respiratory protection

It is not needed.

#### Thermal hazard

not available

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

spreadable paste Appearance solid at 20°C Physical state ambre/white color Odour mineral oil Odour threshold data not available data not available ρН 250 °C Melting point/freezing point data not available Initial boiling point and boiling range data not available Flash point data not available Evaporation rate Flammability (solid, gas) data not available

Upper/lower flammability or explosive limits

data not available flammability limits data not available explosive limits mbar

Vapour pressure

data not available Vapour density data not available Relative density

Solubility(ies)

solubility in water insoluble

data not available solubility in fats data not available Partition coefficient: n-octanol/water Auto-ignition temperature data not available data not available Decomposition temperature data not available Viscosity data not available **Explosive properties** data not available Oxidising properties

They are not available

#### 9.2. Other information

0.95 g/cm3 at 20 °C Density data not available ignition temperature

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The mixture is non-flammable.

#### 10.2. **Chemical stability**

The product is stable under normal conditions.

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017 Date of revision

## 10.3. Possibility of hazardous reactions

The product is stable under normal conditions.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

Version

#### 10.5. Incompatible materials

Protect against strong oxidizing agents. Thereby a dangerous exothermic reaction will be prevented.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous products are formed at high temperature and in fire, such as carbon monoxide and carbon dioxide, heavy smoke and nitrogen oxides.

#### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

No toxicological data is available for the mixture.

#### **Acute toxicity**

Based on available data the classification criteria are not met.

Dialkyl(C1-C14)dithiofosforečnan zinečnatý

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	3100 mg/kg		Rat (Rattus norvegicus)	
Dermal	LDso	2000 mg/kg		Rabbit	

#### M - Wave Lube Guard White

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	6501 mg/kg			
Dermal	LD50	5789 mg/kg			

## Skin corrosion/irritation

Based on available data the classification criteria are not met.

## Serious eye damage/irritation

Based on available data the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met-

### Reproductive toxicity

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017

Date of revision Version 4.0

#### **Aspiration hazard**

Based on available data the classification criteria are not met.

data not available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

#### **Acute toxicity**

The product contains no substances with an effect against active action of microorganisms.

Dialkyl(C1-C14)dithiofosforečnan zinečnatý

Parameter	Value	Time of exposure	Species	Environment
LC50	>1 mg/l		Fishes (Oncorhynchus mykiss)	
EC50	1.5 mg/l		Daphnia (Daphnia magna)	

data not available

## 12.2. Persistence and degradability

The product is not biodegradable.

## 12.3. Bioaccumulative potential

Insignificant.

#### 12.4. Mobility in soil

The product is insoluble in water.

## Results of PBT and vPvB assessment

The product is not classified as PBT or vPvB.

## 12.6. Other adverse effects

The product is slightly soluble in water and thus easily eliminable mechanically e.g. adiabatic processes.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Code of type of waste

12 01 12 spent waxes and fats

discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08 16 05 09

#### Code of type of waste packaging

plastic packaging 15 01 02

#### **SECTION 14: Transport information**

#### 14.1. UN number

Not subject to ADR.

### 14.2. UN proper shipping name

not available

## 14.3. Transport hazard class(es)

not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### M - Wave Lube Guard White

Date of creation

29. August 2017

Date of revision Version 4.0

## 14.4. Packing group

not available

#### 14.5. Environmental hazards

not available

### 14.6. Special precautions for user

not available

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act).

#### 15.2. Chemical safety assessment

not available

#### SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

## Guidelines for safe handling used in the safety data sheet

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear protective gloves.

P337+P313 If eye irritation persists: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan
EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockade
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

	SAFETY	DATA SHEET			
according to Regulation (EC) No 1907/2006 (REACH) as amended  M - Wave Lube Guard White					
INCI	International Nomenclature	of Cosmetic Ingredients			
ISO	International Organization for Standardization				
IUPAC	International Union of Pure and Applied Chemistry				
LC50	Lethal concentration of a su population	bstance in which it can b	e expected death of 50% of the		
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population				
LOAEC	Lowest observed adverse effect concentration				
LOAEL	Lowest observed adverse effect level				
log Kow	Octanol-water partition coefficient				
MARPOL	International Convention for the Prevention of Pollution From Ships				
NOAEC	No observed adverse effect concentration				
NOAEL	No observed adverse effect level				
NOEC	No observed effect concentration				
NOEL	No observed effect level				
OEL	Occupational Exposure Limits				
PBT	Persistent, Bioaccumulative and Toxic				
PNEC	Predicted no-effect concentration				
ppm	Parts per million				
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals				
RID	Agreement on the transport of dangerous goods by rail				
UN	Four-figure identification nu Regulations	mber of the substance o	r article taken from the UN Model		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials				
VOC	Volatile organic compounds				
vPvB	Very Persistent and very Bio	paccumulative			

Aquatic Chronic

Hazardous to the aquatic environment

Eye Dam.

Serious eye damage

Eye Irrit.

Serious eye damage

Skip Irrit

Eye irritation

Skin Irrit.

Skin irritation

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

# Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 06.03.2017. Changes were made in sections 2, 13 and 16.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.